



References

Natural supplements and products

1. Anthes E. A crucial blind spot in veterinary medicine. *The Atlantic* Nov. 2019
<https://www.theatlantic.com/science/archive/2019/11/danger-pet-placebo/601489/>
2. Araujo JA, de Rivera C, Ethier J et al. Anxitane® tablets reduce fear of human beings in a laboratory model of anxiety-related behavior. *J Vet Behav* 2010; 5, 268-275
3. Beata C, Beaumont-Graff E, Coll V et al. Effect of alpha-casozepine (Zylkene) on anxiety in cats. *J Vet Behav* 2007;2:40-46
4. Beata C, Beaumont-Graff E, Diaz C et al. Comparison of the effect of alpha-casozepine (Zylkene) versus selegiline hydrochloride on anxiety disorders in dogs. *J Vet Behav* 2007;2:175-183
5. Binks J, Taylor S, Wills A et al. The behavioural effects of olfactory stimulation on dogs at a rescue shelter. *Appl Anim Behav Sci* 2018; 202, 69-76
6. Bol S, Caspers J, Buckingham L et al. Responsiveness of cats (*Felidae*) to silver vine (*Actinidia polygama*), Tatarian honeysuckle (*Lonicera tatarica*), valerian (*Valeriana officinalis*) and catnip (*Nepeta cataria*). *BMC Vet Res* 2017, 13:70 doi: 10.1186/s12917-017-0987-6.
7. Bowman A, Scottish SPCA, Dowell FJ, et al. The effects of different genres of music on the stress level of kennelled dogs. *Physiol Behav* 2017; 171, 207-15
8. Bowman A, Scottish SPCA, Dowell FJ et al. 'Four seasons' in an animal rescue centre: classical music reduces environmental stress in kennelled dogs. *Physiol Behav* 2015; 143, 70-83
9. Brayley C, Montrose VT. The effects of audiobooks on the behavior of dogs in kennels. *Appl Anim Behav Sci* 2016; 174, 111-115
10. Conti LM, Champion T, Guberman UC et al. Evaluation of environment and a feline facial pheromone analogue and physiologic and behavioral measures in cats. *J Fel Med Surg* 2017; 19, 165-170
11. Denenberg S, Landsberg GM. Effect of dog-appeasing pheromones on anxiety and fear in puppies during training its effects on long term socialization. *J Am Vet Med Assoc* 2008;233:1874-82



14. DePorter T, Bledsoe D, Beck A et al. Evaluation of the efficacy of an appeasing pheromone diffuser product vs placebo for management of feline aggression in multi-cat households: a pilot study *J Fel Med Surg* 2019; 21, 293–305
15. DePorter TL, Bledsoe DL, Conley JR et al. Case report series of clinical effectiveness and safety of Solliquin® for behavioral support in dogs and cats. *Proc Veterinary Behavior Symposium, San Antonio, 2016, 27–28*
16. Engler W, Bain M. Effect of different types of classical music played at a veterinary hospital on dog behavior and owner satisfaction. *J Am Vet Med Assoc* 2017; 251, 195–200
17. Gaultier E et al. Efficacy of dog appeasing pheromone in reducing behaviours associated with fear of unfamiliar people and new surroundings in newly adopted puppies. *Vet Rec* 2009; 164; 708–714
18. Gaultier E et al. Efficacy of dog-appeasing pheromone in reducing stress associated with social isolation in newly adopted puppies. *Vet Rec* 2008; 163; 73–8
19. Gaultier E, Bonnafous L, Bougrat L et al. Comparison of the efficacy of a synthetic dog-appeasing pheromone with clomipramine for the treatment of separation-related disorders in dogs. *Vet Rec* 2005; 156; 533–538
20. Graham D, Wells DL, Hepper PG. The influence of olfactory stimulation on the behaviour of dogs housed in a shelter. *Appl Anim Behav Sci* 2005;91:143–53
21. Griffiths CA, Steigerwald ES, Buffington CA. 'Effects of a synthetic facial pheromone on behavior of cats' *J Am Vet Med Assoc* 2000, 217,1154–1156
22. Goodwin S, Reynolds H. Can aromatherapy be used to reduce anxiety in hospitalized patients? *Vet Nurse* 2018; 9, 167–171
23. Hampton A, Ford A, Kox RE. Effects of music on behavior and physiological stress response of domestic cats in a veterinary clinic. 2019; *J Fel Med Surg*
<https://doi.org/10.1177/1098612X19828131>
24. Kim Y-M, Lee J-K, Abd el-Aty AM, et al. Efficacy of dog-appeasing pheromone (DAP) for ameliorating separation-related behavioral signs in hospitalized dogs. *Can Vet J* 2010;1:380–4
25. King C, Buffington L, Smith TJ et al. The effect of pressure wrap (ThunderShirt™) on heart rate and behavior in canines diagnosed with anxiety disorder. *J Vet Behav* 2014; 9, 215–21
26. Kogan LR, Schoenfeld-Tacher R, Simon AA. Behavioral effects of auditory stimulation on kennel dogs. *J Vet Behav* 2012;7:268–75



29. Koster LS, Sithole F, Gilbert GE et al. The potential beneficial effects of classical music on heart rate variability in dogs used in veterinary training. *J Vet Behav* 2019; 30: 103-109
30. Landsberg G, Huggins S, Fish J et al. The effects of a nutritional supplement (Solliquin) in reducing fear and anxiety in a laboratory model of thunder induced fear and anxiety. *Proc Vet Behav Symp Indianapolis, 2017, 24-26*
31. Landsberg GM, Milgram NW, Mougeot I, et al. Therapeutic effects of an alpha-casozepine and L-tryptophan supplemented diet on fear and anxiety in the cat. *J Fel Med Surg* 2017; 6, 594-602
32. Landsberg GM, Beck A, Lopez A et al. Dog appeasing pheromone collars reduce sound-induced fear and anxiety in Beagle dogs: a placebo-controlled study. *Vet Rec* 2015; 10, 391-398
33. McGowan RTS, Barnett Hallie R, Czarnecki-Maulden G et al. Tapping into those 'Gut Feelings': Impact of BL999 (*Bifidobacterium longum*) on anxiety in dogs. *Vet Behav Symp, Denver 2018, 8-9*
34. Michelazzi M, Berteselli G, Talamonti Z et al. Efficacy of L-theanine in treatment of noise phobias in dogs; preliminary results. *Veterinaria* 2015; 29, 1-7
35. Mills DS, Ramos D, Estelles MG, Hargrave C. A triple blind placebo-controlled investigation into the assessment of the effect of Dog Appeasing Pheromone (DAP) on anxiety related behaviour of problem dogs in the veterinary clinic. *Appl Anim Behav Sci* 2006; 98, 114-126
36. Mira F, Costa A, Mendes E et al. Influence of music and its genres on respiratory rate and pupil diameter variations in cats under general anesthesia; contribution to promoting patient safety. *J Fel Med Surg* 2016; 18, 673-678
37. Murtagh K, Farnworth MJ, Brilot BO. The scent of enrichment: exploring the effect of odour and biological salience on behaviour during enrichment of kennel dogs. *Appl Anim Behav Sci* 2019; in press, <https://doi.org/10.1016/j.applanim.2019.104917>
38. Naarden B, Corbee RJ The effect of a therapeutic urinary stress diet on the short-term recurrence of feline idiopathic cystitis. *Vet Med Sci* 2019 DOI: 10.1002/vms3.197
39. Nuti V, Cantile C, Gazzano A et al. Pinch-induced behavioural inhibition (clipthesia) as a restraint method for cats during veterinary examinations: preliminary results on cat susceptibility and welfare. *Animal Welfare* 2016, 25, 115-23
40. Pereira JS, Fragoso S, Beck A, et. al. Improving the feline veterinary consultation: the usefulness of Feliway spray in reducing cats' stress. *J Fel Med Surg, 2016; 18, 959-964*



43. Pike A, Horwitz DL. An open label prospective study of the use of L-theanine (Anxitane) in storm sensitive client owned dogs. *J Vet Behav* 2015; 10, 324-331
44. Pozza ME, Stella JL, Chappuis-Gagnon AC, et al. Pinch-induced behavioral inhibition ('clipnosis') in domestic cats. *J Feline Med Surg* 2008; 10: 82-7
45. Siracusa C, Manteca X, Cuenca R, et al. Effect of a synthetic appeasing pheromone on behavioral, neuroendocrine, immune, and acute-phase perioperative stress responses in dogs. *J Am Vet Med Assoc* 2010; 237, 673-681
46. Snowdon CT, Teie D, Savage M. Cats prefer species appropriate music. *J Appl Anim Behav Sci*, 2015, 166, 106-110
47. Uccheddu S, Mariti C, Sannen A, et al. Behavioral and cortisol responses of shelter dogs to a cognitive bias test after olfactory enrichment with essential oils. *Dog Behavior*, 2018; 2, 1-14 doi 10.4454/db.v4i2.87
48. Valente L, DeKeuster T, Da Graca Pereira G. Clipnosis as a handling method in cats: physiological and behavioural welfare indicators. . Proc 9th Internal Veterinary Behaviour Meeting, Lisbon, Mills DS, Da Graca Pereira G, Jacinto DM (eds). PSIAAnimal, Ponthina, Portugal 2013; 159-160
49. Wells DL. Aromatherapy for travel-induced excitement in dogs. *J Am Vet Med Assoc* 2006; 229, 964-67
50. Wells DL, Graham L, Hepper PG. The influence of auditory stimulation on the behaviour of dogs in a rescue shelter. *Animal Welfare* 2002; 11; 385-393